

## CLAIMS

1. A purified protein selected from the group consisting of:

(a) a protein which consists of an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180; and

(b) a protein that activates NF- $\kappa$ B (Nuclear factor kappa B) and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180.

2. A purified protein that activates NF- $\kappa$ B and comprises an amino acid sequence having at least 95% identity to the protein according to claim 1 over the entire length thereof.

3. An isolated polynucleotide which comprises a nucleotide sequence encoding a protein selected from the group consisting of:

(a) a protein which comprises an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180; and

(b) a protein that activates NF- $\kappa$ B and consists of an amino acid sequence having at least one

amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180.

4. An isolated polynucleotide comprising a polynucleotide sequence selected from the group consisting of:

(a) a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177 and 179;

(b) a polynucleotide sequence encoding a protein that activates NF- $\kappa$ B and hybridizing under stringent conditions with a polynucleotide having a polynucleotide sequence complementary to the polynucleotide sequence of (a); and

(c) a polynucleotide sequence which encodes a protein that activates NF- $\kappa$ B and consists of a polynucleotide sequence having at least one nucleotide deletion, substitution or addition in a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177 and 179.

5. An isolated polynucleotide comprising a nucleotide sequence which encodes a protein that activates NF- $\kappa$ B and has at least 95% identity to the polynucleotide sequence according to claim 3 over the entire length thereof.

8. A recombinant vector which comprises a polynucleotide according to any one of claims 3 to 6.

10. A membrane of the cell according to claim 9, when the protein according to claim 1 or 2 is a membrane protein.

12. A process for diagnosing a disease or susceptibility to a disease related to expression or activity of the protein of claim 1, 2 or 7 in a subject comprising:

- (a) determining the presence or absence of a mutation in the nucleotide sequence encoding said protein in the genome of said subject; and/or
- (b) analyzing the amount of expression of said protein in a sample derived from said subject.

54

(b) culturing a transformed cell under conditions, which permit the expression of the gene in the transformed cell;

(c) contacting the transformed cell with one or more compounds;

(d) measuring the detectable signal; and

(e) isolating or identifying an activator compound and/or an inhibitor compound by measuring the detectable signal.

14. A process for producing a pharmaceutical composition, which comprises the steps of:

(a) providing a cell with a gene encoding a protein that activates NF- $\kappa$ B, and a component capable of providing a detectable signal;

(b) culturing a transformed cell under conditions, which permit the expression of the gene in the transformed cell;

(c) contacting the transformed cell with one or more compounds;

(d) measuring the detectable signal;

(e) isolating or identifying an activator compound and/or an inhibitor compound by measuring the detectable signal; and

(f) optimizing the isolated or identified compound as a pharmaceutical composition.

15. A kit for screening a compound in respect of activity to inhibit or promote NF- $\kappa$ B activation, which comprises:

(a) a cell comprising a gene encoding a protein that activates NF- $\kappa$ B, and a component that provides a detectable signal upon activation of NF- $\kappa$ B; and

(b) reagents for measuring the detectable signal.

16. A monoclonal or polyclonal antibody that specifically binds to the protein according to claim 1, 2 or 7.

17. A process for producing a monoclonal or polyclonal antibody that specifically binds



according to claim 16 as an active ingredient.

25. A pharmaceutical composition which comprises an antisense oligonucleotide according to claim 18 as an active ingredient.

26. The pharmaceutical composition according to claim 24 or 25, wherein the target disease is selected from the group consisting of inflammation, autoimmune diseases, infectious diseases, cancers, bone diseases, AIDS, neurodegenerative and ischemic disorders.

27. A method for obtaining a novel gene having a function, which comprises at least the following steps:

- (a) constructing a full-length cDNA library by the oligo-capping method;
- (b) cotransfecting the full-length cDNA and a plasmid containing a factor emitting a signal indicative of the presence of a protein having the function into cells; and
- (c) selecting a plasmid emitting the signal.

28. A computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177 and 179, and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180.

29. A method for calculating identity to other nucleotide sequences and/or amino acid sequences, which comprises comparing data on a medium according to claim 28 with data of said other nucleotide sequences and/or amino acid sequences.

30. An insoluble substrate to which polynucleotides comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177 and 179, are fixed.

31. An insoluble substrate to which polypeptides comprising all or a part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178 and 180, are fixed.